



PRC2B rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A20183	Rabbit	1 mg/ml	245 kD
Applications	WB,ELISA		
Reactivity	Human		
Dilution	WB 1:500-2000, ELISA 1:10000-20000		
Storage	-20°C/1 year		
Specificity	The antibody detects endogenous PRC1Phospho occurs at Thr481		
Source / Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.		
Immunogen	Synthetic Phospho peptide from human protein at AA range: 481		
Uniprot No	O43663		
Alternative names	Protein regulator of cytokinesis 1		
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Clonality	Polyclonal		
Isotype			
Conjugation			
Background	protein regulator of cytokinesis 1(PRC1) Homo sapiens This gene encodes a protein that is involved in cytokinesis. The protein is present at high levels during the S and G2/M phases of mitosis but its levels drop dramatically when the cell exits		
Other	Gene_name: PRC1 ; Protein_name: Protein regulator of cytokinesis 1; Expression: Epithelium,Kidney,Placenta,		

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.