



C8 β rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A11426	Rabbit	1 mg/ml	70 kD

Applications	WB,ELISA
Reactivity	Human,Rat
Dilution	WB 1:500-2000, ELISA 1:10000-20000
Storage	-20°C/1 year
Specificity	C8 β Polyclonal Antibody detects endogenous levels of C8 β
Source / Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen	The antiserum was produced against synthesized peptide derived from the Internal region of human C8B. AA range:371-420
Uniprot No	P07358
Alternative names	Complement component C8 beta chain (Complement component 8 subunit beta)
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Clonality	Polyclonal
Isotype	
Conjugation	
Background	complement C8 beta chain(C8B) Homo sapiens This gene encodes one of the three subunits of the complement component 8 (C8) protein. C8 is composed of equimolar amounts of alpha, beta and gamma subunits, which are encoded by three separate genes. C8 is
Other	Gene_name: C8B ; Protein_name: C8 β ; Expression: Liver,Plasma,

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:



H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.