



## CD158k rabbit pAb antibody

| Catalog No :          | Source:   | Concentration : | Mol.Wt. (kD): |
|-----------------------|---|-----------------|---------------|
| A11901                | Rabbit  | 1 mg/ml         | kD            |
| Applications          | IHC,ELISA   |                 |               |
| Reactivity            | Human   |                 |               |
| Dilution              | IHC 1:50-200, ELISA 1:10000-20000   |                 |               |
| Storage               | -20°C/1 year  |                 |               |
| Specificity           | The antibody detects endogenous CD158k  |                 |               |
| Source / Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.   |                 |               |
| Immunogen             | Synthetic peptide from human protein at AA range: 221-270   |                 |               |
| Uniprot No            | P43630  |                 |               |
| Alternative names     | Killer cell immunoglobulin-like receptor 3DL2 (CD158 antigen-like family member K) (MHC class I NK cell receptor) (Natural killer-associated transcript 4) (NKAT-4) (p70 natural killer cell receptor clone CL-5) (p70 NK receptor CL-5) (CD antigen CD158k)  |                 |               |
| Form                  | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |                 |               |
| Clonality             | Polyclonal  |                 |               |
| Isotype               |   |                 |               |
| Conjugation           |   |                 |               |
| Background            | killer cell immunoglobulin like receptor, three Ig domains and long cytoplasmic tail 2(KIR3DL2) Homo sapiens Killer cell immunoglobulin-like receptors (KIRs) are transmembrane glycoproteins expressed by natural killer cells and subsets of T cells. The   |                 |               |
| Other                 | Gene_name: KIR3DL2 CD158K NKAT4 ; Protein_name: Killer cell immunoglobulin-like receptor 3DL2 (CD158 antigen-like family member K) (MHC class I NK cell receptor) (Natural killer-associated transcript 4) (NKAT-4) (p70 natural killer cell receptor clone CL-5) (p70 NK receptor CL-5) (CD antigen CD158k); Expression: Blood,Lymphoid,Natu |                 |               |

### Product Images

### Application Key:



W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation  
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

**Species Cross-Reactivity Key:**

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster  
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All  
Species Expected

**Trademarks**

*All product names and trademarks are the property of their respective owners.*

**Regulatory Disclaimer**

*For life science research only. Not for use in diagnostic procedures.*

**Contact and Support:**

*To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).*

*To call, write, fax, or email us, please visit [www.aabsci.com](http://www.aabsci.com), contact information will be displayed.*