



CHOP mouse mAb(1E1) antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A12417	Mouse	1 mg/ml	27 kD
Applications	IHC		
Reactivity	Human,Rat,Mouse		
Dilution	IHC 1:100-200		
Storage	-20°C/1 year		
Specificity	CHOP protein detects endogenous levels of DDIT3		
Source / Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.		
Immunogen	Synthetic Peptide of CHOP at AA range of 10-90		
Uniprot No	P35638		
Alternative names	DDIT3		
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Clonality	Monoclonal		
Isotype			
Conjugation			
Background	DNA damage inducible transcript 3(DDIT3) Homo sapiens This gene encodes a member of the CCAAT/enhancer-binding protein (C/EBP) family of transcription factors. The protein functions as a dominant-negative inhibitor by forming heterodimers with o		
Other	Gene_name: DDIT3 ; Protein_name: DDIT3; Expression: Muscle,Skeletal muscle,		

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](http://www.aabsci.com).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.