



c-Rel rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A13045	Rabbit	1 mg/ml	68 kD
Applications	WB,IHC,ELISA		
Reactivity	Human		
Dilution	WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.		
Storage	-20°C/1 year		
Specificity	c-Rel Polyclonal Antibody detects endogenous levels of c-Rel protein.		
Source / Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.		
Immunogen	The antiserum was produced against synthesized peptide derived from human Rel. AA range:470-519		
Uniprot No	Q04864		
Alternative names	REL; Proto-oncogene c-Rel		
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Clonality	Polyclonal		
Isotype			
Conjugation			
Background	REL proto-oncogene, NF-kB subunit(REL) Homo sapiens This gene encodes a protein that belongs to the Rel homology domain/immunoglobulin-like fold, plexin, transcription factor (RHD/IPT) family. Members of this family regulate genes involved in apoptosis		
Other	Gene_name: REL ; Protein_name: Proto-oncogene c-Rel; Expression: Colon,		
Product Images			

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:



H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.