



ADM rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A10358	Rabbit	1 mg/ml	20 kD
Applications	IHC,ELISA		
Reactivity	Human,Mouse,Rat		
Dilution	IHC: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.		
Storage	-20°C/1 year		
Specificity	ADM Polyclonal Antibody detects endogenous levels of ADM protein.		
Source / Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.		
Immunogen	The antiserum was produced against synthesized peptide derived from human ADM. AA range:51-100		
Uniprot No	P35318		
Alternative names	ADM; AM; ADM		
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Clonality	Polyclonal		
Isotype			
Conjugation			
Background	adrenomedullin(ADM) Homo sapiens The protein encoded by this gene is a prehormone which is cleaved to form two biologically active peptides, adrenomedullin and proadrenomedullin N-terminal 20 peptide. Adrenomedullin is a 52 aa peptide with sever		
Other	Gene_name: ADM ; Protein_name: ADM; Expression: Kidney,Liver,Pheochromocytoma,		

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:



H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.