



AKT mouse mAb(10D6) antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A10448	Mouse	1 mg/ml	60 kD
Applications	WB,IHC		
Reactivity	Human,Mouse,Rat		
Dilution	WB 1:1000-2000, IHC 1:100-200		
Storage	-20°C/1 year		
Specificity	AKT protein detects endogenous levels of AKT1		
Source / Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.		
Immunogen	Synthetic Peptide of AKT at AA range of 400-480		
Uniprot No	P31749		
Alternative names	AKT1		
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Clonality	Monoclonal		
Isotype			
Conjugation			
Background	AKT serine/threonine kinase 1(AKT1) Homo sapiens The serine-threonine protein kinase encoded by the AKT1 gene is catalytically inactive in serum-starved primary and immortalized fibroblasts. AKT1 and the related AKT2 are activated by platelet-deriv		
Other	Gene_name: AKT1 ; Protein_name: AKT1; Expression: Epithelium, Eye, Foreskin, Muscle, Ovary, Placenta,		

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.