



## Alliinase rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A10512	Rabbit	1 mg/ml	50 kD

Applications	WB
Reactivity	AlliumsativumL
<b>Dilution</b>	WB: 1:3000
<b>Storage</b>	-20°C/1 year
<b>Specificity</b>	The antibody detects endogenous and recombinant Alliinase proteins.
<b>Source / Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using specific immunogen.
<b>Immunogen</b>	Purified Protein
<b>Uniprot No</b>	
<b>Alternative names</b>	
<b>Form</b>	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	
<b>Conjugation</b>	
<b>Background</b>	Alliinase are found in plants of the genus Allium, such as garlic and onions. Alliinase is responsible for catalyzing chemical reactions that produce the volatile chemicals that give these foods their flavors, odors, and tear-inducing properties. Alliinase
<b>Other</b>	Gene_name: ; Protein_name: ; Expression:

### Product Images

#### Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry CHIP-Chromatin Immunoprecipitation  
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

#### Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All  
Species Expected

**Trademarks**

*All product names and trademarks are the property of their respective owners.*

**Regulatory Disclaimer**

*For life science research only. Not for use in diagnostic procedures.*

---

**Contact and Support:**

*To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).*

*To call, write, fax, or email us, please visit [www.aabsci.com](http://www.aabsci.com), contact information will be displayed.*