



ANAG rabbit pAb antibody

| Catalog No : | Source: | Concentration : | Mol.Wt. (kD): |
|--------------|---------|-----------------|---------------|
| A10583 | Rabbit | 1 mg/ml | 82 kD |

| | |
|------------------------------|---|
| Applications | WB |
| Reactivity | Human |
| Dilution | WB 1:500-2000 |
| Storage | -20°C/1 year |
| Specificity | This antibody detects endogenous levels of ANAG at Human |
| Source / Purification | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Immunogen | Synthesized peptide derived from human ANAG |
| Uniprot No | P54802 |
| Alternative names | |
| Form | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Clonality | Polyclonal |
| Isotype | |
| Conjugation | |
| Background | This gene encodes an enzyme that degrades heparan sulfate by hydrolysis of terminal N-acetyl-D-glucosamine residues in N-acetyl-alpha-D-glucosaminides. Defects in this gene are the cause of mucopolysaccharidosis type IIIB (MPS-IIIB), also known as Sanfili |
| Other | Gene_name: NAGLU UFHSD1 ; Protein_name: ANAG; Expression: |

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All



Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.