



## HBE rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A15498	Rabbit	1 mg/ml	16 kD

Applications	WB,ELISA
Reactivity	Human
<b>Dilution</b>	WB 1:500-2000 ELISA 1:5000-20000
<b>Storage</b>	-20°C/1 year
<b>Specificity</b>	HBE Polyclonal Antibody detects endogenous levels of protein.
<b>Source / Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen</b>	Synthesized peptide derived from part region of human protein
<b>Uniprot No</b>	P02100
<b>Alternative names</b>	
<b>Form</b>	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	
<b>Conjugation</b>	
<b>Background</b>	hemoglobin subunit epsilon 1(HBE1) Homo sapiens The epsilon globin gene (HBE) is normally expressed in the embryonic yolk sac: two epsilon chains together with two zeta chains (an alpha-like globin) constitute the embryonic hemoglobin Hb Gower I;
<b>Other</b>	Gene_name: HBE1 HBE ; Protein_name: Hemoglobin subunit epsilon (Epsilon-globin) (Hemoglobin epsilon chain); Expression: Lung,

### Product Images

#### Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation  
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

#### Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All  
Species Expected

**Trademarks**

*All product names and trademarks are the property of their respective owners.*

**Regulatory Disclaimer**

*For life science research only. Not for use in diagnostic procedures.*

---

**Contact and Support:**

*To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).*

*To call, write, fax, or email us, please visit [www.aabsci.com](http://www.aabsci.com), contact information will be displayed.*