



HDAC2 rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A15530	Rabbit	1 mg/ml	55 kD

Applications	WB,IHC,ELISA
Reactivity	Human,Mouse,Rat,Monkey
Dilution	WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.
Storage	-20°C/1 year
Specificity	HDAC2 Polyclonal Antibody detects endogenous levels of HDAC2 protein.
Source / Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen	The antiserum was produced against synthesized peptide derived from human HDAC2. AA range:360-409
Uniprot No	Q92769
Alternative names	HDAC2; Histone deacetylase 2; HD2
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Clonality	Polyclonal
Isotype	
Conjugation	
Background	histone deacetylase 2(HDAC2) Homo sapiens This gene product belongs to the histone deacetylase family. Histone deacetylases act via the formation of large multiprotein complexes, and are responsible for the deacetylation of lysine residues at the N-
Other	Gene_name: HDAC2 ; Protein_name: Histone deacetylase 2; Expression: Brain,Epithelium,Mammary gland,Testis,Tongue,

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:



H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.